



Chill Discounters

www.chilldiscounters.co.za

sales@chilldiscounters.co.za

0861777078 0722315060

SELF CONTAINED SUPER CUBER

HORIZONTAL EVAPORATORS (GOURMET CUBE) WITH PWD (PROGRESSIVE WATER DISCHARGE)

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 10°	Storage Capacity kg	Dimensions (unpacked) W x D x H / H with Legs* (mm)	Voltage	Shipping Weight kg	Incl Vat
EC 46*	25 kg	23 kg	9 kg	386 x 600 x 645	230/50/1	44	R 27 099.00
EC 56*	32 kg	31 kg	12 kg	386 x 600 x 695	230/50/1	45	R 33 299.00
EC 86	38 kg	37 kg	19 kg	531 x 600 x 785/825*	230/50/1	53	R 35 999.00
EC 106	50 kg	48 kg	23 kg	531 x 600 x 840/930*	230/50/1	56	R 39 999.00
EC 126	70 kg	66 kg	34 kg	680 x 600 x 920/1010*	230/50/1	77	R 55 999.00
EC 176	85 kg	83 kg	41 kg	680 x 600 x 990/1080*	230/50/1	82	R 60 799.00
EC 206	130 kg	123 kg	50 kg	1250 x 622 x 779/809*	230/50/1	97	R 73 699.00
EC 226	145 kg	142 kg	70 kg	1078 x 715 x 1004/1082*	230/50/1	112	R 79 699.00

- LEGS NOT INCLUDED*

- Indicated production ratings pertain to air cooled (AS) models.

- All EC range ice machines have the PWD SYSTEM installed. The progressive water discharge system allows the water to be pumped away to a height of up to 1.5 meters and a distance as far as 15 meters.

MODULAR SUPER CUBER

HORIZONTAL EVAPORATORS (GOURMET CUBE)

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 10°	Storage Capacity kg	Dimensions (unpacked) W x D x H / H with Legs* (mm)	Voltage	Shipping Weight kg	Incl Vat
MXG 328	150 kg	147 kg	B150	568 x 704 x 721	230/50/1	77	R 67 899.00
MXG 438	190 kg	180 kg	B220	773 x 705 x 721	230/50/1	85	R 75 899.00
MXG 638	330 kg	310 kg	B320	773 x 704 x 1128	230/50/1	129	R 105 799.00
MC 1210	660 kg	585 kg	2 x B500	1677 x 775 x 810	400/50/3N	245	TBA

- All prices exclude bins

- Indicated production ratings pertain to air cooled (AS) models.

SELF CONTAINED ICE DISPENSERS

(NUGGET & GOURMET)

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 10°	Storage Capacity kg	Dimensions (unpacked) W x D x H / H with Legs* (mm)	Voltage	Shipping Weight kg	Incl Vat
TC 180	120 kg	114 kg	5 -9 Kg	390 x 600 x 874	230/50/1	70	R 90 599.00
DXG 35	29 kg	27 kg	11 Kg	380 x 513 x 1696	230/50/1	60	R 79 099.00

- Indicated production ratings pertain to air cooled (AS) models.

MODULAR ECONOMY CUBER

SUPER DICE CUBE

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 10°	Storage Capacity kg <small>Recommended</small>	Dimensions (unpacked) W x D x H (mm)	Voltage	Shipping Weight kg	Incl Vat
NW 308	160 kg	140 kg	B150	558 x 610 x 609	230/50/1	63	R 57 399.00
NW 458	215 kg	200 kg	B220	760 x 620 x 575	230/50/1	87	R 63 499.00
NW 608	320 kg	280 kg	B320/B220	760 x 620 x 575	230/50/1	88	R 71 399.00
NW 1008	485 kg	456 kg	B500	760 x 620 x 800	230/50/1	119	R 104 399.00
NW 1008 3 PHASE*	485 kg	456 kg	B500	760 x 620 x 800	380/50/3 N	119	R 104 399.00
NW 1408	620 kg	600 kg	B500	765 x 610 x 1000	230/50/1	145	R 135 699.00
- INDENT ONLY* - All prices exclude bins - Indicated production ratings pertain to air cooled (AS) models.							

SELF CONTAINED FLAKERS

ELECTRONIC

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 10°	Storage Capacity kg	Dimensions (unpacked) W x D x H / H with Legs* (mm)	Voltage	Shipping Weight kg	Incl Vat
AF 80	70 kg	67 kg	25 kg	535 x 620 x 797/890*	230/50/1	58	R 63 299.00
AF 103	105 kg	102 kg	30 kg	592 x 622 x 997/1078*	230/50/1	76	R 71 199.00
- Indicated production ratings pertain to air cooled (AS) models.							

MODULAR SUPER FLAKERS

ELECTRONIC

Model	Production 24 hours Air / Water 10° / 10°	Production 24 hours Air / Water 21° / 10°	Storage Capacity kg <small>Recommended</small>	Dimensions (unpacked) W x D x H (mm)	Voltage	Shipping Weight kg	Incl Vat
MF 26	120 kg	114 kg	B150	563 x 536 x 531	230/50/1	52	R 66 199.00
MF 36	200 kg	195 kg	B150/220	563 x 536 x 531	230/50/1	56	R 75 999.00
MF 46	320 kg	305 kg	B320	538 x 663 x 645	230/50/1	87	R 95 499.00
MF 56	600 kg	590 kg	B500	538 x 663 x 785	230/50/1	103	R 128 099.00
MF 66	1150 kg	1070 kg	SPECIAL	1065 x 698 x 850	400/50/3N	198	R 280 699.00
MF 86	2400 kg	2250 kg	SPECIAL	1080 x 780 x 1255	400/50/3N	411	TBA
- All prices exclude bins - Indicated production ratings pertain to air cooled (AS) models.							

STORAGE BINS

STAINLESS STEEL

Model	Storage Capacity	Insulation	Dimensions W x D x H (mm)	Material	Drain Size	Shipping Weight APPROX	Incl Vat
B150	125-150 kg*	24 V Polystyrene 40mm	550 x 715 x 1054	S/S	42 mm Outlet	35 kg	R 9 450.00
B220	190-220 kg*	24 V Polystyrene 40mm	800 x 725 x 1050	S/S	42 mm Outlet	45 kg	R 9 950.00
B320	260-320 kg*	24 V Polystyrene 40mm	1075 x 725 x 1054	S/S	42 mm Outlet	55 kg	R 12 100.00
B500	400-480 kg*	24 V Polystyrene 40mm	1215 x 725 x 1420	S/S	42 mm Outlet	65 kg	R 15 150.00
- Storage capacity of bins is subject to change, depending on type of ice stored.* - Bins come standard with adjustable feet for levelling.							

FRIULINOX BLAST CHILLERS

SHOCK FREEZERS

Model	Capacity	Chilling Capacity +90°C>+3°C	Freezing Capacity +90°C>-18°C	Dimensions (unpacked) W x D x H (mm)	Voltage	Shipping Weight (kg)	Incl Vat
BF030AG	3 TRAYS	8 kg	5 kg	560 x 560 x 520	230/50/1	53	R 63 799.00
SB050RA	5 TRAYS	18 kg	12 kg	790 x 700 x 850	230/50/1	100	R 82 599.00
SB081RA	8 TRAYS	25 kg	16 kg	790 x 800 x 1320	220-240/50/1	157	R 106 699.00
SB161RA	16 TRAYS	36 kg	24 kg	790 x 800 x 1950	400/50/3N	245	R 137 599.00

ACCESSORIES

CRUSHMAN

Model	Description	Storage Capacity kg	Dimensions (unpacked) W x D x H (mm)	Voltage	Shipping Weight kg	Incl Vat
CRUSHMAN*	Ice Crusher up to 144 kg output. It converts all kinds of ice into different-size granules.	3.5 Kg	245 x 430 x 490	230/50/1	28	R 38 899.00

* INDENT ONLY

WATER FILTERS

Part No	Description	Function	Capacity	Filtration	Incl Vat
KIT04	Water filter kits complete. Compatible with municipality and borehole water.	Improves taste and odour, Reduces limescale build up and finely polishes water.	Up to 22 700 L <small>(SUBJECT TO WATER QUALITY)</small>	1 micron	R 4 500.00
001140-01	Single action cartridge <small>(REPLACEMENT CARTRIDGE ONLY)</small>	Sediment Filtration	-	-	R 200.00
UW9612-24	Replacement cartridge only	Dirt and Sediment Scale and corrosion	-	-	R 2 600.00

- Filtration capacity may vary depending on the water quality
- Always flush the filter cartridge at time of installation and cartridge change

HIGH/LOW VOLTAGE PROTECTOR

(NETT price includes installation into ice machine prior to dispatch)

Part No	Description	Current Rating Amps	Inrush Current Amps	Voltage Over Under	Nominal Voltage (V)	Start Time Delay	Shipping Weight (kg)	Incl Vat
Freogard30amp	Over Under Voltage Protector (Internal connection)	30	110	190 - 260	230/50/1	3 min	0.4	R 2 100.00

SCOOP

Part No	Description	Recommended Compatibility	Dimensions (unpacked) W x D x H (mm)	Shipping Weight APPROX	Incl Vat
650146-00LS	Aluminum Scoop – approximately 1 kg of ice per scoop	All Modular Ice Machines	260 x 430 x 130	0.5 kg	R 400.00

All prices include VAT.